



Injury Surveillance Studies

2024 Rugby 7's Europe Championship (Women)

Dec 2024

RUGBY EUROPE
45 rue de Liège - 75008 PARIS – France
SIRET: 415 120 203 000 39
Tel: +33 1 53 21 15 22
Email: secretariat@rugbyeurope.eu - Website: www.rugbyeurope.eu

1. Introduction.....	3
2. Methods	3
3. Data Collection	4
4. Results	5
4.2.1. Injury incidence.....	6
4.2.2. Injury severity	6
4.2.3. Injury burden	7
4.2.4. Injury location.....	7
4.2.5. Injury type.....	8
4.2.6. Most common and highest risk injuries.....	9
4.2.7. Injury onset.....	10
4.2.8. Cause of injury onset	11
4.2.9. Match events leading to injury	11
4.2.10. Time of injury	12
5. Acknowledgements	13
6. Authors	13
7. References.....	14

1. INTRODUCTION

Understanding the incidence and nature of the injuries sustained during the practice of rugby is key in order to clarify the risks posed to players. Due to its nature as a contact sport, rugby, as well as ice hockey, lacrosse, and American football, has a higher injury incidence than non-contact sports. Through Injury Surveillance Studies in various competitions, it is possible to gain an understanding of how, where and when injuries happen, which is a fundamental requirement to advance player welfare standards across all ages and levels of the game.

Several injury surveillance studies have been previously implemented in World Rugby [1-3] and Rugby Europe 7s competitions (Rugby 7s Olympic Qualifier [Men & Women]).

Rugby Europe is committed to implementing injury surveillance studies at all major Rugby Europe tournaments and to disseminate the results within the Rugby community.

The general aims of these studies are:

- To record and analyze injuries sustained at Rugby Europe competitions.
- To identify injury trends in Rugby 7s and Rugby 15s.
- To bring injury-related areas of concern to the attention of Rugby Europe's Chief Medical Officer and when appropriate to World Rugby's Chief Medical Officer.

This report continues the on-going study of Rugby Europe competitions by reporting injuries sustained during the Women's Rugby Europe 7s Championship 2024.

2. METHODS

The study was conducted in accordance with the definitions and protocols described in the World Rugby approved consensus statement on definitions and procedures for injury surveillance studies in Rugby^[4].

The definition of injury was: Any injury sustained during the Women’s 7s Rugby Europe Championship (REC) 2024 matches that prevents a player from taking a full part in all normal training activities and/or match play for more than one day following the day of injury’. A recurrent injury was defined as ‘An injury (as defined above) of the same type and at the same site as an index injury and which occurs after a player’s return to full participation from the index injury’.

Specific injuries were classified using the OSICS 10 coding system^[5]. Injury location, type and cause together with the event leading to the injury were also recorded.

Injury severity was determined by the number of days a player was injured: a player was deemed to be injured until he/she could undertake full, normal training and be available for match selection whether he/she was actually selected. Medical staff were informed to make an informed clinical judgment about a player’s fitness to train/play on those days when players were not scheduled to train or play. Injured players were followed up after each tournament to obtain their return-to-play date: the return-to-play dates for players with injuries that remained unresolved 3 months after the final Tournament in the Women’s 7s REC 2024 were defined on the basis of the player’s medical staff’s judgment and prognosis. The complete lists of categories and sub-categories used for categorizing injury location and injury types are provided in the Rugby consensus publication^[4].

Only match injuries resulting in > 1 day of absence from training or match play were recorded in this study. The rest of the injuries that were not included in this definition were not recorded.

3. DATA COLLECTION

Prior to the tournament taking place, the purpose of the epidemiological study was outlined to each participating team. Each player’s baseline anthropometric information was recorded: (playing position [back, forward]; date of birth; body mass [Kg]; stature [cm]); players joining a country’s squad at a later date were added to the list of players and the anthropometric data recorded at the time the player joined the squad.

Medical staff prospectively recorded match injuries sustained during the tournament. A member of the team’s medical staff also recorded detailed information about each injury (date of injury, date of

return to play, location and type of injury, cause of injury, event leading to injury). The final piece of information recorded is normally an injured player's return-to-play date.

Belgium, Czech Republic, France, Germany, Great Britain, Ireland, Italy, Poland, Portugal, Spain, Turkey and Ukraine were involved in the Women's 7s REC 2024.

4. RESULTS

All participating teams reported data in accordance with the definitions and protocols described in the World Rugby approved consensus statement on definitions and procedures for injury surveillance studies in Rugby^[4].

4.1. Players' anthropometric data

Table 1 summarises the numbers and anthropometric data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024. The total sample population involved in the study was 204 players; anthropometric data were provided for 85 players.

The total sample population for the study was 204 players (40 backs; 45 forwards; 119 unknown). The mean age was 26,7 years (all the players reported their date of birth) (backs: 26,2 years; forwards: 27,1 years; $p = 0,315$). The average age has been calculated among the 85 players for whom we have all anthropometric data, although age has been reported by all players without identifying their playing position, with the average age for the entire sample being 25,3 years. The average stature for all players was 168,1 cm; forwards (169,4 cm) were significantly taller than backs (166,7 cm) ($p=0,037$). The average body mass for all players was 65,3 kg; forwards (68,1 kg) were significantly heavier than backs (62,2 kg) ($p<0,001$).

Table 1. Players' anthropometric data

Measure	Mean (\pm standard deviation)		
	Backs	Forwards	All players
Players (n)	40	45	85
Stature (cm)	166,7 (6,0)	169,4 (5,7)	168,1 (6,0)
Body Mass (kg)	62,2 (5,7)	68,1 (6,2)	65,3 (6,6)
Age (years)	26,2 (4,6)	27,1 (4,2)	26,7 (4,4)

4.2. Match injuries

4.2.1. Injury incidence

Table 2 summarises the match injury frequency and incidence and match exposure data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The total number of injuries sustained was 13 (backs: 9; forwards: 4) and the total match exposure was 222 player-hours (backs: 127; forwards: 95). The overall match incidence was 58,6 injuries/1000 match hours (backs: 70,9 forwards: 42,1).

Table 2. Match injury frequency, exposure, and injury incidence			
Measure	Backs	Forwards	All players
Injuries (n)	9	4	13
Exposure (player-match-hours)	127	95	222
Incidence (95% confidence interval)	70,9 (26,2-115,5)	42,1 (1,7-82,5)	58,6 (27,7-89,4)

4.2.2. Injury severity

Table 3 summarises the mean and median match injury severity data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The mean severity of all injuries sustained was 65,7 days missed (backs: 51,3 days; forwards: 98,0 days). The median severity of all injuries sustained was 43,0 days for all players (backs: 43,0 days; forwards: 53,5 days). There were no significant differences between backs and forwards for either the mean ($p=0,277$) or median severities ($p=1,000$).

Table 3. Mean and median match injury severity (days lost)			
Measure	Severity (95% Confidence interval), days		
	Backs	Forwards	All players
Mean (95% confidence interval)	51,3 (31,1-71,5)	98,0 (-97,2-293,2)	65,7 (24,2-107,2)
Median (95% confidence interval)	43,0 (14,0-112,0)	53,5 (10,0-275,0)	43,0 (10,0-275,0)

Table 4 summarises the proportion of match injuries by time-loss data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

Severe severity (29-90 days) injuries were the most common representing 61,5% of all injuries, followed by moderate (8-28 days) with 23,1%, major (>90 days) with 15,4% and minor (2-7 days) with 0,0%. Forwards sustained more moderate (8-28 days) injuries (50,0%), while the backs sustained more severe (29-90 days) injuries (77,8%).

Measure	%		
	Backs	Forwards	All players
Minor (2-7 days)	0,0	0,0	0,0
Moderate (8-28 days)	11,1	50,0	23,1
Severe (29-90 days)	77,8	25,0	61,5
Major (>90 days)	11,1	25,0	15,4

4.2.3. Injury burden

The total days-absence resulting from match injuries sustained during the Women's 7s REC 2024 was 854 days-absence (backs: 462; forwards: 392).

Injury burden, which is equal to injury incidence x mean severity, is an important ISS output measure, as it provides an overall indication of the risk of injury^[6,7]. The injury burden in the REC 2024 was 3832 days lost/1000 player-hours (backs: 3637; forwards: 4126 days lost).

4.2.4. Injury location

Table 5 summarises the proportion of match injuries by injury location data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024. The most common anatomic location for all players was the lower limb with 53,8%, followed by head/neck (23,1%) and upper limb (15,4%). Knee was the most common specific injury location with 30,8% followed by head/face (23,1%). For backs, the most frequent injury location was the head/face and knee (33,3% each)

followed by the shoulder/clavicle (22,2%) and abdomen (11,1%); For forwards all the injuries were in the lower limb: thigh anterior, knee, lower leg and foot/toe (25% each)

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
Head / Neck	33,3 (2,5-64,1)	-	23,1 (0,2-46,0)
Head/face	33,3 (2,5-64,1)	-	23,1 (0,2-46,0)
Neck/cervical spine	-	-	-
Upper limb	22,2 (0,0-49,4)	-	15,4 (0,0-35,0)
Shoulder/clavicle	22,2 (0,0-49,4)	-	15,4 (0,0-35,0)
Upper arm	-	-	-
Elbow	-	-	-
Forearm	-	-	-
Wrist/hand/fingers	-	-	-
Trunk	11,1 (0,0-31,6)	-	7,7 (0,0-22,2)
Ribs/upper back	-	-	-
Abdomen	11,1 (0,0-31,6)	-	7,7 (0,0-22,2)
Low back	-	-	-
Sacrum/pelvis	-	-	-
Lower limb	33,3 (2,5-64,1)	100,0	53,8 (26,7-80,9)
Hip/groin	-	-	-
Thigh, anterior	-	25,0 (0,0-67,4)	7,7 (0,0-22,2)
Thigh, posterior	-	-	-
Knee	33,3 (2,5-64,1)	25,0 (0,0-67,4)	30,8 (5,7-55,9)
Lower leg	-	25,0 (0,0-67,4)	7,7 (0,0-22,2)
Ankle	-	-	-
Foot/toe	-	25,0 (0,0-67,4)	7,7 (0,0-22,2)

4.2.5. Injury type

Table 6 summarises the proportion of match injuries by injury type for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The most common injury types were joint/ligament injuries with 38,5%, followed by the muscle/tendon (30,8%) and central/peripheral nervous system (23,1%). Forwards sustained more muscle/tendon injuries (75,0%) than backs (11,1%) while backs presented more joint/ligament

injuries (44,4%) than forwards (25,0%). The most common specific injury types sustained by backs were sprain/ligament (44,4%) and concussion (33,3%). Muscle strain cramp (75,0%) and sprain/ligament (25,0%) were the most common specific injuries presented by the forwards.

Table 6. Proportion of match injuries by injury type

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
Bone	11,1 (0,0-31,6)	-	7,7 (0,0-22,2)
Fracture	11,1 (0,0-31,6)	-	7,7 (0,0-22,2)
Other bone injury	-	-	-
C/PNS	33,3 (2,5-64,1)	-	23,1 (0,2-46,0)
Concussion	33,3 (2,5-64,1)	-	23,1 (0,2-46,0)
Nerve injuries	-	-	-
Joint (non-bone) / ligament	44,4 (11,9-76,9)	25,0 (0,0-67,4)	38,5 (12,0-65,0)
Dislocation / subluxation	-	-	-
Meniscus / Disc Injury	-	-	-
Sprain/ligament	44,4 (11,9-76,9)	25,0 (0,0-67,4)	38,5 (12,0-65,0)
Other	-	-	-
Muscle / tendon	11,1 (0,0-31,6)	75,0 (32,6-100,0)	30,8 (5,7-55,9)
Haematoma/bruise	-	-	-
Muscle strain/cramp	11,1 (0,0-31,6)	75,0 (32,6-100,0)	30,8 (5,7-55,9)
Tendon injury/tendinopathy	-	-	-
Other	-	-	-
Skin	-	-	-
Abrasion	-	-	-
Laceration	-	-	-
Other types	-	-	-
Visceral	-	-	-
Other	-	-	-

C/PNS: Central and Peripheral Nervous System

4.2.6. Most common and highest risk injuries

Table 7 identifies the most common match injuries by injury diagnosis for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The most common injury was concussion (all players: 23,1% and backs: 33,3%). No concussions were diagnosed in forwards.

Table 7. The four most common injury diagnoses reported for backs, forwards and all players (% of all reported match injuries)

Backs		Forwards		All players	
Injury	%	Injury	%	Injury	%
Concussion	33,3	ACL injury	25,0	Concussion	23,1
MCL injury	22,2	Calf muscle spasm	25,0	MCL injury	15,4
AC joint injury	11,1	Quadriceps strain	25,0	Quadriceps strain	7,7
Tibia fracture	11,1	Foot muscles spasm	25,0	ACL rupture	7,7

Table 8 summarises the injuries with greatest burden for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The injuries with the greatest burden across all players were ACL rupture (32,2%) and tibia fracture (13,1%). For backs, tibia fracture (24,2%) and MCL injury (24,0%) were responsible for the greatest time loss while ACL injury (30,6%) and tennis leg (21,9%) caused the greatest burden for forwards.

Table 8. The four injury diagnoses with greatest burden reported for backs, forwards and all players (% of all reported days lost to match injuries)

Backs		Forwards		All players	
Injury	%	Injury	%	Injury	%
Tibia fracture	24,2	ACL injury	30,6	ACL rupture	32,2
MCL injury	24,0	Calf muscle spasm	21,9	Tibia fracture	13,1
Concussion	21,2	Quadriceps strain	5,4	Concussion	11,5
AC joint injury	11,9	Foot muscles spasm	2,6	Calf muscle spasm	10,1

4.2.7. Injury onset

Table 9 summarises the proportion of match injuries by nature of onset data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

Acute injuries were the only nature of injuries.

Table 9. Proportion of reported match injuries by nature of onset

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
Acute	100,0	100,0	100,0
Gradual	-	-	-

4.2.8. Cause of injury onset

Table 10 summarises the proportion of match injuries by cause of onset data for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

Contact mechanism represented 84,6% of all injuries while non-contact was 15,4%. Contact injuries were more common for backs (88,9%) than for forwards (75,0%).

Table 10. Proportion of reported match injuries by cause of onset

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
Contact	88,9 (68,4-100)	75,0 (32,6-100)	84,6 (65,0-100)
Non-contact	11,1 (0,0-31,6)	25,0 (0,0-67,4)	15,4 (0,0-35,0)

4.2.9. Match events leading to injury

Table 11 summarises the match events causing the injuries suffered by players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The most common match event leading to injury was tackling (38,5%), followed by being tackled (30,8%), running (15,4%) and ruck and collision (7,7% each). For backs, the most common match events leading to injury were tackling (44,4%) and being tackled (33,3%), followed by running and ruck (11,1% each). For forwards, tackling, being tackled, running and collision were the most common match events leading to an injury (25% each).

Table 11. Proportion of reported match injuries by match event leading to injury

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
Collision	-	25,0 (0,0-67,4)	7,7 (0,0-22,2)
Kicking	-	-	-
Lineout	-	-	-
Maul	-	-	-
Ruck	11,1 (0,0-31,6)	-	7,7 (0,0-22,2)
Running	11,1 (0,0-31,6)	25,0 (0,0-67,4)	15,4 (0,0-35,0)
Scrum	-	-	-
Tackled	33,3 (2,5-64,1)	25,0 (0,0-67,4)	30,8 (5,7-55,9)
Tackling	44,4 (11,9-76,9)	25,0 (0,0-67,4)	38,5 (12,0-65,0)
Other/Not known	-	-	-

4.2.10. Time of injury

Table 12 summarises the proportion of reported match injuries by period of match for players, categorised as backs, forwards and all players, taking part in Women's 7s REC 2024.

The highest number of match injuries sustained by all players happened during the first half (53,8%).

Table 12. Proportion of reported match injuries by time during match

Measure	% (95% Confidence interval)		
	Backs	Forwards	All players
First half	33,3 (2,5-64,1)	100,0	53,8 (26,7-80,9)
Second half	66,6 (35,8-97,4)	-	46,2 (19,1-73,3)

5. ACKNOWLEDGEMENTS

World Rugby and Rugby Europe would like to thank all competition organisers and participants for kindly sharing their data for this report.

The authors acknowledge the valuable support provided by 8 team physicians and physiotherapists during the collection of the data analysed in this report. The authors would therefore like to apologise if anyone who provided data for the study has accidentally been missed from the list of acknowledgements below (presented alphabetically):

Barbora Starkova, Berke Askoz, Bohdan Didyk, Colin Graznna, Damien Chavalle, Jose Gorrotxategui, Massimo Miressi, Olivia Withers, Orla Armstrong, Rodrigo Pais, Sergio Lopez and Thibault Fouquet.

6. AUTHORS

The authors of the report were Roberto Murias Lozano, Mario Iglesias Muñiz, Javier San Sebastián Obregón, Guillermo Iglesias Muñiz and Pablo García Fernández. For any clarification or doubt contact: rerpwrc@gmail.com or injury@rugbyeurope.eu.



7. REFERENCES

1. Fuller CW, Taylor A, Molloy MG, Fuller, C. W., Taylor, A. & Molloy M. Epidemiological Study of Injuries in International Rugby Sevens. *Clinical Journal of Sports Medicine* 2010;20(3):179-84.
2. Fuller CW, Taylor A. Ten-season epidemiological study of match injuries in men's international rugby sevens. *Journal of Sports Sciences* 2020;38(14):1595-604.
3. Fuller CW, Taylor A, Raftery M. 2016 Rio Olympics: an epidemiological study of the men's and women's Rugby-7s tournaments. *Br J Sports Med* 2017;51(17):1272-8.
4. Fuller CW, Molloy MG, Bagate C, Bahr R, Brooks JHM, Donson H, et al. Consensus statement on injury definitions and data collection procedures for studies of injuries in rugby union. *British Journal of Sports Medicine* 2007;41(5):328-31.
5. Rae K, Orchard J. The Orchard Sports Injury Classification System (OSICS) Version 10. *Clinical Journal of Sport Medicine* 2007;17(3):201-4.
6. Fuller CW. Why Median Severity and Ordinal Scale Severity Values should not be used for Injury Burden Results: A Critical Review. *Int J Sports Med* 2023;44(05):313-9.
7. Fuller CW. Injury Risk (Burden), Risk Matrices and Risk Contours in Team Sports: A Review of Principles, Practices and Problems. *Sports Med* 2018;48(7):1597-606.

